Revision Date 30.01.2014

# **GALDEN® SV (2)**

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

- Product name : GALDEN® SV (2)

Product grade(s)
 SV80; SV80W; SV110; SV135
 Chemical characterization
 Perfluorinated polyethers

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

- Identified uses : - Electrical industry

Electronic industry
For industrial use only.

1.3. Details of the supplier of the safety data sheet

- Company : SOLVAY SPECIALTY POLYMERS ITALY

S.p.A.

- Address : VIALE LOMBARDIA, 20 I- 20021 BOLLATE - Telephone : +3902290921

- Fax : +390229092614 - E-mail address : sds.solvay@solvay.com

1.4. Emergency telephone number

- Emergency telephone number +44(0)1235 239 670 [CareChem 24] (Europe)

## **SECTION 2. HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## 2.1.1. European regulation (EC) 1272/2008, as amended

Not classified as hazardous according to the European regulation (EC) 1272/2008, as amended

## 2.1.2. European Directive 67/548/EEC or 1999/45/EC, as amended

Not classified as hazardous according to European Directive 67/548/EEC or 1999/45/EC, as amended

## 2.2. Label elements

No labelling

#### 2.3. Other hazards

- Thermal decomposition can lead to release of toxic and corrosive gases.



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### 3.2.1.Concentration

Concentration
%

## **SECTION 4. FIRST AID MEASURES**

## 4.1. Description of first aid measures

#### 4.1.1. If inhaled

- Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
- Oxygen or artificial respiration if needed.

# 4.1.2. In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a specialist.

## 4.1.3. In case of skin contact

Wash off with soap and water.

#### 4.1.4. If swallowed

- Drink 1 or 2 glasses of water.
- Do NOT induce vomiting.
- If symptoms persist, call a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

## 4.2.1. Inhalation

No known effect.

## 4.2.2. Skin contact

- Effects of skin contacts may include:
- Redness
- Irritation

## 4.2.3. Eye contact

- Contact with eyes may cause irritation.
- Redness

## 4.2.4. Ingestion

- Ingestion may provoke the following symptoms:
- Symptoms: Nausea, Vomiting, Diarrhoea

## 4.3. Indication of any immediate medical attention and special treatment needed

None.

# **SECTION 5. FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

## 5.1.1. Suitable extinguishing media

- Water
- powder
- Foam
- Dry chemical



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

- Carbon dioxide (CO2)
- 5.1.2. Unsuitable extinguishing media
  - None.

## 5.2. Special hazards arising from the substance or mixture

- The product is not flammable.
- Not explosive
- In case of fire hazardous decomposition products may be produced such as: Gaseous hydrogen fluoride (HF), Fluorophosgene

#### 5.3. Advice for firefighters

- Wear self-contained breathing apparatus and protective suit.
- When intervention in close proximity wear acid resistant over suit.
- Evacuate personnel to safe areas.
- Approach from upwind.
- Protect intervention team with a water spray as they approach the fire.
- Keep containers and surroundings cool with water spray.
- Keep product and empty container away from heat and sources of ignition.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. Advice for non-emergency personnel

Prevent further leakage or spillage if safe to do so.

## 6.1.2. Advice for emergency responders

- Ensure adequate ventilation.
- Material can create slippery conditions.
- Sweep up to prevent slipping hazard.
- Keep away from open flames, hot surfaces and sources of ignition.

#### 6.2. Environmental precautions

- Should not be released into the environment.
- Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and materials for containment and cleaning up

- Soak up with inert absorbent material.
- Suitable material for picking up
- Dry sand
- Earth
- Shovel into suitable container for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# **SECTION 7. HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

- Ensure adequate ventilation.
- Use personal protective equipment.
- Keep away from heat and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Take measures to prevent the build up of electrostatic charge.
- Clean and dry piping circuits and equipment before any operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

#### 7.2. Conditions for storage, including incompatibilities

## 7.2.1. Storage

- No special storage conditions required.
- Keep away from heat and sources of ignition.
- Keep in properly labelled containers.
- Keep away from combustible material.
- Keep away from incompatible products
- Provide tight electrical equipment well protected against corrosion.
- Refer to protective measures listed in sections 7 and 8.

## 7.2.2. Packaging material

# 7.2.2.1. Suitable material

Plastic material

#### 7.3. Specific end use(s)

For further information, please contact: Supplier

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

#### Remarks:

Threshold limit values of by-products from thermal decomposition

## Hydrogen fluoride anhydrous

- UK. EH40 Workplace Exposure Limits (WELs) 12 2011

time weighted average = 1.8 ppm time weighted average = 1.5 mg/m3

Remarks: as F

- UK. EH40 Workplace Exposure Limits (WELs) 12 2011

Short term exposure limit = 3 ppm Short term exposure limit = 2.5 mg/m3

Remarks: as F

- US. ACGIH Threshold Limit Values 03 2013

time weighted average = 0.5 ppm

Remarks: as F

- US. ACGIH Threshold Limit Values 03 2013

Ceiling Limit Value = 2 ppm

Remarks: as F

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU 12
 2009

time weighted average = 1.8 ppm time weighted average = 1.5 mg/m3

Remarks: Indicative

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU 12 2009

Short term exposure limit = 3 ppm Short term exposure limit = 2.5 mg/m3

Remarks: Indicative

US. ACGIH Threshold Limit Values 03 2013
 Remarks: as F, Can be absorbed through skin.

# Carbonyl difluoride

- US. ACGIH Threshold Limit Values 03 2013

time weighted average = 2 ppm

US. ACGIH Threshold Limit Values 03 2013

Short term exposure limit = 5 ppm



according to Regulation (EC) No. 1907/2006

## **GALDEN® SV (2)**

Revision Date 30.01.2014

UK. EH40 Workplace Exposure Limits (WELs) 12 2011

time weighted average = 2.5 mg/m3

Remarks: as F

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU 12

2009

time weighted average = 2.5 mg/m3

Remarks: Indicative

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Refer to protective measures listed in sections 7 and 8.
- Apply technical measures to comply with the occupational exposure limits.

#### 8.2.2. Individual protection measures

#### 8.2.2.1. Respiratory protection

- In case of decomposition (see section 10), use an air breathing apparatus with face mask.
- Use only respiratory protection that conforms to international/ national standards.

#### 8.2.2.2. Hand protection

- Wear protective gloves.
- Suitable material: Nitrile rubber, PVC, Neoprene gloves, butyl-rubber
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

## 8.2.2.3. Eye protection

Tightly fitting safety goggles

## 8.2.2.4. Skin and body protection

Wear work overall and safety shoes.

#### 8.2.2.5. Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using, do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

## 8.2.3. Environmental exposure controls

Dispose of rinse water in accordance with local and national regulations.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

## 9.1.1. General Information

**Appearance** liquid Colour colourless Odour odourless **Odour Threshold** No data 9.1.2. Important health safety and environmental information

#### Ηд No data

pKa No data Melting point/freezing point not applicable Boiling point/boiling range 80 - 135 °C

Flash point The product is not flammable.

**Evaporation rate** No data Flammability (solid, gas) No data



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

Flammability The product is not flammable.

Explosive properties
Not explosive

Vapour pressure ca. 10.5 - 65 hPa, at 25 °C

Vapour density
No data

■ **Density** 1.68 - 1.72 g/cm3

Relative densityBulk densityNo data

Solubility(ies) insoluble, Water

soluble, fluorinated solvents

Solubility/qualitative
 Partition coefficient: n- No data octanol/water

Auto-ignition temperature No data
 Decomposition temperature > 290 °C

■ Viscosity Viscosity, dynamic : ca. 0.95 - 1.7 mPa.s

Oxidizing properties
 Non oxidizer

9.2. Other information

Solubility in water 0.01 mg/lRemarks No data

# **SECTION 10. STABILITY AND REACTIVITY**

## 10.1. Reactivity

- No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

- Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

- Avoid to use in presence of high voltage electric arc and in absence of oxygen.
- Keep away from flames.
- To avoid thermal decomposition, do not overheat.

## 10.5. Incompatible materials

- Flammable materials, Combustible material, non-aqueous alkalis, Lewis acids (Friedel-Crafts) above 100°C, Aluminum and magnesium in powder form above 200°C

## 10.6. Hazardous decomposition products

- Gaseous hydrogen fluoride (HF)., Fluorophosgene



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1. Acute toxicity

#### 11.1.1. Acute oral toxicity

LD50, rat, > 5,000 mg/kg

#### 11.1.2. Acute inhalation toxicity

LC50, rat , 1,826 mg/l

## 11.1.3. Acute dermal toxicity

- LD50, rat, > 2,000 mg/kg

## 11.2. Skin corrosion/irritation

- rabbit, No skin irritation

## 11.3. Serious eye damage/eye irritation

- rabbit, No eye irritation

## 11.4. Sensitisation

guinea pig, Did not cause sensitisation on laboratory animals.

## 11.5. Mutagenicity

- Not mutagenic in Ames Test., Molecular weight ~ 650
- Chromosome aberration test in vitro, negative, Molecular weight ~ 650

#### 11.6. Carcinogenicity

no data available

#### 11.7. Toxicity for reproduction

no data available

## 11.8. Specific target organ toxicity - single exposure

- Remarks: no data available

## 11.9. Repeated dose toxicity

 Oral, 28-day, rat, > 1000 mg/kg/day, Subacute toxicity

## 11.10. Aspiration hazard

- no data available

## 11.11. Other information

- Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.
- The product is biologically inert.
- Thermal decomposition can lead to release of toxic and corrosive gases.
- Exposure to decomposition products
- Causes severe irritation of eyes, skin and mucous membranes.

## **SECTION 12. ECOLOGICAL INFORMATION**

## 12.1. Toxicity

no data available

## 12.2. Persistence and degradability

## 12.2.1. Abiotic degradation

Result: no data available

## 12.2.2. Biodegradation

no data available



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

#### 12.3. Bioaccumulative potential

Result: no data available

#### 12.4. Mobility in soil

- no data available

#### 12.5. Results of PBT and vPvB assessment

- no data available

## 12.6. Other adverse effects

- Ecological injuries are not known or expected under normal use.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

- Can be incinerated, when in compliance with local regulations.
- The incinerator must be equipped with a system for the neutralisation or recovery of HF.
- In accordance with local and national regulations.

#### 13.2. Contaminated packaging

- Empty containers can be landfilled, when in accordance with the local regulations.

## **SECTION 14. TRANSPORT INFORMATION**

#### International transport regulations

- Sea (IMO/IMDG)
- not regulated
- Air (ICAO/IATA)
- not regulated
- European Road/Rail (ADR/RID)
- not regulated
- Inland waterway transport
- not regulated

## **SECTION 15. REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, as amended
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), as amended
- European Waste Catalogue
- Waste codes should be assigned by the user based on the application for which the product was used.

## 15.1.1. Notification status

Inventory Information	Status
USA. Toxic Substances Control Act (TSCA)	- Listed on inventory
Australia. Inventory of Chemical Substances (AICS)	- Listed on inventory
Canada. Domestic Substances List (DSL)	- Listed on inventory
Korea. Existing Chemicals Inventory (KECI (KR))	- Listed on inventory
China. Inventory of Existing Chemical Substances (IECSC)	- Listed on inventory
Japan. Industrial Safety & Health Law Inventory (ISHL (JP))	- Listed on inventory
Japan. Inventory of Existing & New Chemical Substances (ENCS)	- Listed on inventory
Philippine. Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on inventory
New Zealand. Inventory of Chemicals (NZIOC)	- Listed on inventory



according to Regulation (EC) No. 1907/2006

## GALDEN® SV (2)

Revision Date 30.01.2014

Inventory Information	Status
Taiwan. National Existing Chemical Substance Inventory (NECSI)	- Listed on inventory
EU. European Registration, Evaluation, Authorisation and Restriction of	<ul> <li>If product is purchased from</li> </ul>
Chemical (REACH)	Solvay in Europe it is in
	compliance with REACH, if not
	please contact the supplier.

## 15.2. Chemical Safety Assessment

not required

## **SECTION 16. OTHER INFORMATION**

## 16.1. Other information

- New (SDS)
- Distribute new edition to clients

This SDS is only intended for the indicated country to which it is applicable. The European SDS format compliant with the applicable European legislation is not intended for use nor distribution in countries outside the European Union with the exception of Norway and Switzerland. Safety datasheets applicable in other countries/regions are available upon request.

The information given corresponds to the current state of our knowledge and experience of the product, and is not exhaustive. This applies to product which conforms to the specification, unless otherwise stated. In this case of combinations and mixtures one must make sure that no new dangers can arise. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and protection of human welfare and the environment.

Print Date: 24.02.2014

